




The background is an abstract composition of various shades of blue and white. It features sharp, angular geometric shapes that create a sense of depth and movement. A prominent feature is a bright, starburst-like light effect emanating from a point in the lower right quadrant, with rays of light spreading outwards. The overall texture is smooth but with some subtle variations in tone and light patterns, giving it a modern, high-tech feel.

Multicubes & Bookcorners

Conical Truss Multicubes

- The perfect solution for production house stock inventory
- Integrated location holes for quick set-up & re-configuration
- Regular & heavy-duty versions available
- Heavy-duty cubes enable maximum loading capacity from your trusses
- Male & female receiver accessories available
- Flexible use
- Profiled tube with thread



Multicube for JT22 QUATRO

Truss series - w/o Connection Kit				
Code	kg	lbs	mm	in
4CM22-MC8	2.4	(5.3)	A 222	(8 47/64")

Multicube for JT30 & JT30H QUATRO

Truss series - w/o Connection Kit				
Code	kg	lbs	mm	in
4CF30-MC8	5	(11)	A 289	(11 3/8")
4CF30HD-MC8	8.1	(176)	A 289	(11 3/8")

Multicube for JT40H QUATRO

Truss series - w/o Connection Kit				
Code	kg	lbs	mm	in
4CF40-MC8	6	(13)	A 388	(15 17/64")
4CF40HD-MC8	11	(24)	A 388	(15 17/64")

Conical Truss Bookcorners

- Bookcorners provide an angular solution to an acute problem
- Corners can be configured for TRIO or QUATRO formats
- Rigid aluminium profile construction with bolted male or female receivers
- Free range of 0-180° angle adjustability



Bookcorner for JT30 Truss Series - w/o Connection Kit

Series	Code	kg	lbs
JT30, JT30H	4CF30-BC	6.2	(13.6)

Can be attached for use with JT30 QUATRO & TRIO (apex up/down) formats.

Bookcorner for JT40 Truss Series - w/o Connection Kit

Series	Code	kg	lbs
JT40H	4CF40-BC	8.6	(19)

Can be attached for use with JT40H QUATRO & TRIO (apex up/down) formats.

Male fitting supplied with M12x75 bolt


Series	Code	kg	lbs
JT30, JT30H, JT40H	CON340	0.23	(0.51)

Male fitting w/o location pin for book corner truss series CF30/CF40H, incl.bolt + washer

Multicubes connector use


FEMALE CONNECTORS

Cube type	CON code	Female connector	Bolt	Washer	Shoulder length
4CM22-MC8	CON314	M Multicube	M10x25 ALLEN	d10.2/18.1	50 (1 61/64")
4CF30-MC8	CON335	F Multicube	M12x35 HEX	d12.2/21	75 (2 15/16")
4CF30HD-MC8	CON338				75 (2 15/16")
4CF40-MC8	CON339				105 (4 1/8")
4CF40HD-MC8					




MALE HALF CONNECTORS

Cube type	CON code	Male half connector	Bolt	Washer	Shoulder length
4CM22-MC8	CON315	MM-D10-steel	M10x16 ALLEN; 8.8	d10.2/16	1 (1/32")
4CF30-MC8	CON336	FM-D12-steel	M12x25 ALLEN; 10.9	d12.2/18	1 (1/32")
4CF30HD-MC8	CON337				
4CF40-MC8					
4CF40HD-MC8					




DIMENSIONS - FOR FEMALE CONNECTOR USE

Cube type	mm	in	mm	in	mm	in	mm	in
4CM22-MC8	A 322	(12 43/64")	B 272	(10 45/64")	C 222	(8 47/64")	D 222	(8 47/64")
4CF30-MC8	A 439	(17 9/32")	B 364	(14 21/64")	C 289	(11 3/8")	D 289	(11 3/8")
4CF30HD-MC8								
4CF40-MC8	A 538	(21 11/64")	B 463	(18 7/32")	C 388	(15 17/64")	D 388	(15 17/64")
4CF40HD-MC8								



DIMENSIONS - FOR MALE HALF CONNECTOR USE

Cube type	mm	in	mm	in	mm	in	mm	in
4CM22-MC8	A 224	(8 13/16")	B 223	(8 49/64")	C 222	(8 47/64")	D 222	(8 47/64")
4CF30-MC8	A 291	(11 29/64")	B 290	(11 13/32")	C 289	(11 3/8")	D 289	(11 3/8")
4CF30HD-MC8								
4CF40-MC8	A 390	(15 11/32")	B 389	(15 5/16")	C 388	(15 17/64")	D 388	(15 17/64")
4CF40HD-MC8								



DIMENSIONS - FOR FEMALE CONNECTOR USE

Cube type	mm	in	mm	in	mm	in	mm	in
2CM22-MC4	A 224	(8 13/16")	B 34	(1 21/64")	C 222	(8 47/64")	D 222	(8 47/64")
2CF30-MC4	A 291	(11 29/64")	B 51	(2")	C 289	(11 3/8")	D 289	(11 3/8")
2CF40-MC4	A 390	(15 11/32")	B 51	(2")	C 388	(15 17/64")	D 388	(15 17/64")

DIMENSIONS - FOR MALE HALF CONNECTOR USE

Cube type	mm	in	mm	in	mm	in	mm	in
1CM22-MC2	A 35	(1 3/8")	B 34	(1 21/64")	C 222	(8 47/64")	D 33	(1 19/64")
1CF30-MC2	A 52	(2 3/64")	B 51	(2")	C 289	(11 3/8")	D 50	(1 61/64")
1CF40-MC2	A 52	(2 3/64")	B 51	(2")	C 388	(15 17/64")	D 50	(1 61/64")